



Paani Precision Products LLP

Manufacturer and Exporter of Brass and Metal Products



A-280
Wt: 280 Gram (6P+6N)



A-300
Wt: 300 Gram (6P+6N)



A-350
Wt: 350 Gram (6P+6N)



A-400
Wt: 400 Gram (6P+6N)



A-450
Wt: 450 Gram (6P+6N)



A-500
Wt: 500 Gram (6P+6N)



A-550
Wt: 550 Gram (6P+6N)



A-600
Wt: 600 Gram (6P+6N)



A-650
Wt: 650 Gram (6P+6N)



A-700
Wt: 700 Gram (6P+6N)



A-750
Wt: 750 Gram (6P+6N)



A-800
Wt: 800 Gram (6P+6N)



A-850
Wt: 850 Gram (6P+6N)



A-900
Wt: 900 Gram (6P+6N)



A-1000
Wt: 1000 Gram (6P+6N)



MAH-350
Wt: 350 Gram (6P+6N)



MAH-400
Wt: 400 Gram (6P+6N)



MAL-220
Wt: 220 Gram (6P+6N)



11 BT-330
Wt: 330 Gram (6P+6N)



12 BT-500
Wt: 500 Gram (6P+6N)



Bajaj Cls-620
Wt: 620 Gram (6P+6N)



MRE
Wt: 220 Gram (6P+6N)



MRT Lucas-350
Wt: 350 Gram (6P+6N)



Telco-650
Wt: 650 Gram (6P+6N)



TMB-650
Wt: 650 Gram (6P+6N)

ISO 9001-2015 CERTIFIED COMPANY

S.R.No. 53, Plot No. 5/B-1 & 5/B-2, Raj Rajeshwari Estate, Kansumra Main Road, Jamnagar - 361 006 Gujarat - India

☎ : +91 - 288 - 2567600 ✉ : info@paaniprecisions.com 🌐 : www.paaniprecisions.com / www.paaniprecisionllp.com

GSTIN : 24AAWFP2356A1ZA •••• IEC NO. AAWFP2356A





Paani Precision Products LLP

Manufacturer and Exporter of Brass and Metal Products



TMB-500
Wt: 500 Gram (6P+6N)



STRIP-450
Wt: 450 Gram (6P+6N)



STRIP-500
Wt: 500 Gram (6P+6N)



STRIP-520
Wt: 520 Gram (6P+6N)



STRIP-600
Wt: 600 Gram (6P+6N)



STRIP-650
Wt: 650 Gram (6P+6N)



STRIP-700
Wt: 700 Gram (6P+6N)



STRIP-800
Wt: 800 Gram (6P+6N)



STRIP-850
Wt: 850 Gram (6P+6N)



STRIP-900
Wt: 900 Gram (6P+6N)



STRIP-1000
Wt: 1000 Gram (6P+6N)



MRT-220
Wt: 220 Gram (6P+6N)



Clip No.2 HVY



Clip No.3 HVY



Clip No.4 HVY



**Clip No.5 TATA
DLX**



**Clip No.5 TATA
S.DLX**



Lug No.7



Lug No.9



Lug No.10



Lug No.12



Lug No.14



Clip No.18 Light



**Clip No.18
Medium**



Clip No.18 HVY



ISO 9001-2015 CERTIFIED COMPANY

S.R.No. 53, Plot No. 5/B-1 & 5/B-2, Raj Rajeshwari Estate, Kansumra Main Road, Jamnagar - 361 006 Gujarat - India

☎ : +91 - 288 - 2567600 ✉ : info@paaniprecisions.com 🌐 : www.paaniprecisions.com / www.paniprecisionllp.com

GSTIN : 24AAWFP2356A1ZA •••• IEC NO. AAWFP2356A



Paani Precision Products LLP

Manufacturer and Exporter of Brass and Metal Products



Lug MRT DLX



SUMO/INDICA
16-25Sqmm -VE



SUMO/INDICA
16-25Sqmm +VE



TATA ACE -VE
35-50Sqmm -VE



TATA ACE +VE
35-50Sqmm +VE



Scorpio 2 Bolt
16-25Sqmm



Scorpio 3 Bolt
Universal



Swift Diesel -VE
Universal



Swift Diesel +Ve
Universal



Swift Petrol -Ve
Universal



Swift Petrol +Ve
Universal



MBT Super
16 Sqmm



Ashok Leyland -VE
35-50Sqmm



Ashok Leyland +VE
35-50Sqmm



MBT SUPER BIG
35-50Sqmm



Battery Cable Assembly
12" to 72"
220=011/012/013/014
330=011/012/013/014
440=011/012/013/014
TL-TT-LL

ISO 9001-2015 CERTIFIED COMPANY

S.R.No. 53, Plot No. 5/B-1 & 5/B-2, Raj Rajeshwari Estate, Kansumra Main Road, Jamnagar - 361 006 Gujarat - India

☎ : +91 - 288 - 2567600 ✉ : info@paaniprecisions.com 🌐 : www.paaniprecisions.com / www.paaniprecisionllp.com

GSTIN : 24AAWFP2356A1ZA •••• IEC NO. AAWFP2356A



Paani Precision Products LLP

Manufacturer and Exporter of Brass and Metal Products



Lucas Series



Item	Brass Weight/ Dozen	Ms Weight/ Dozen	Bolt Size Available	Plating Option	Finishing Option	Material Process
LUCAS 7MM Toyota	250 Grams	150 Grams	3mm Screw & 1/4" Bolt & Nut	Brass, Nickle	Plain\Blasting	Casted
LUCAS 9MM Bolt Type	250 Grams	190 Grams	1/4" of all bolts	Brass, Nickle	Plain\Blasting	Casted
LUCAS 11MM Bolt Type	300 Grams	190 Grams	1/4" of all bolts	Brass, Nickle	Plain\Blasting	Casted
LUCAS 12MM Bolt Type	500 Grams	230 Grams	(1/4" Double)(5/16" Single)	Brass, Nickle	Plain\Blasting	Casted
LUCAS 13MM Bolt Type SIDE CUT	300 Grams	190 Grams	(1/4" Double)(5/16" Single)	Brass, Nickle	Plain\Blasting	Casted
LUCAS 10MM Cut Type (Crimp Type)	450 Grams	110 Grams	5/16" Nut & Bolt	Nickle	Plain\Blasting	Casted

Crimp OE Series



Item	Brass Weight/ Dozen	Ms Weight/ Dozen	Bolt Size Available	Plating Option	Finishing Option	Material Process
BAJAJ/TATA/LAYLAND TYPE						
7.5 MM CABLE HOLE	680 Grams	190 Grams	8MM STANDARD	Brass, Nickle	Plain	Casted
9.0 MM CABLE HOLE	650 Grams	190 Grams	8MM STANDARD	Brass, Nickle	Plain	Casted
10.5 MM CABLE HOLE	630 Grams	190 Grams	8MM STANDARD	Brass, Nickle	Plain	Casted
13.5 MM CABLE HOLE	800 Grams	190 Grams	8MM STANDARD	Brass, Nickle	Plain	Casted
15.0 MM CABLE HOLE	1350 Grams	190 Grams	8MM STANDARD	Brass, Nickle	Plain	Casted
TELCO TYPE 650 GRAMS	650 Grams	190 Grams	8MM STANDARD	BRASS, NICKLE	Plain\Blasting	Casted
TELCO TYPE 500 GRAMS	500 Grams	180 Grams	5/16"	BRASS, NICKLE	Plain\Blasting	Casted
TMB/TVS TYPE 650 Grams	650 Grams	190 Grams	8MM Standard	BRASS, NICKLE	Plain\Blasting	Casted
LANCER TYPE TERMINAL	1400 Grams	210 Grams	8MM STANDARD	TIN PLATING	Plain	Forged

ISO 9001-2015 CERTIFIED COMPANY

S.R.No. 53, Plot No. 5/B-1 & 5/B-2, Raj Rajeshwari Estate, Kansumra Main Road, Jamnagar - 361 006 Gujarat - India

☎ : +91 - 288 - 2567600 ✉ : info@paaniprecisions.com 🌐 : www.paaniprecisions.com / www.paaniprecisionllp.com

GSTIN : 24AAWFP2356A1ZA ••••• IEC NO. AAWFP2356A



Paani Precision Products LLP

Manufacturer and Exporter of Brass and Metal Products



Universal Series



Item	Brass Weight/ Dozen	Ms Weight/ Dozen	Bolt Size Available	Platting Options	Finishing Option	Material Process
Universal/seiwa Type Terminal						
7.10MM CABLE HOLE	660 Grams	210 Grams	8MM STANDARD	Dull Tin	Plain/Blasing	Forged
9.10MM CABLE HOLE	600 Grams	210 Grams	8MM STANDARD	Dull Tin	Plain/Blasing	Forged
11MM CABLE HOLE	780 Grams	210 Grams	8MM STANDARD	Dull Tin	Plain/Blasing	Forged
13MM CABLE HOLE	750 Grams	210 Grams	8MM STANDARD	Dull Tin	Plain/Blasing	Forged
10MM CABLE HOLE	650 Grams	210 grams	8MM STANDARD	Light Tin	Plain/Blasing	Casted

UK - Europe Series



Item	Brass Weight/ Dozen	Ms Weight/ Dozen	Bolt Size Available	Platting Options	Finishing Option	Material Process
LUCAS TYPE						
9MM FORGED UK	560 Grams	260 Grams	8MM Standard	DULL TIN	Plain/Blasting	Forged
11MM FORGED UK	700 Grams	260 grams	8MM Standard	DULL TIN	Plain/Blasting	Forged
16MM FORGED UK	900 Grams	280 Grams	8MM Standard	DULL TIN	Plain/Blasting	Forged
Extra Heavy 12MM FORGED	830 Grams	280 grams	8MM Standard	BRASS, DULL TIN	Plain/Blasting	Forged
STRIP TYPE						
WING NUT FORGED	840 Grams	280 Grams	8MM Standard	DULL TIN	Plain/Blasting	Forged
HEX NUT FORGED	840 Grams	280 Grams	8MM Standard	DULL TIN	Plain/Blasting	Forged
LUCAS TYPE HANS	550 Grams	260 Grams	8MM Standard	BRASS	Plain/Blasting	Forged

ISO 9001-2015 CERTIFIED COMPANY

S.R.No. 53, Plot No. 5/B-1 & 5/B-2, Raj Rajeshwari Estate, Kansumra Main Road, Jamnagar - 361 006 Gujarat - India

☎ : +91 - 288 - 2567600 ✉ : info@paaniprecisions.com 🌐 : www.paaniprecisions.com / www.paniprecisionllp.com

GSTIN : 24AAWFP2356A1ZA •••• IEC NO. AAWFP2356A



Paani Precision Products LLP

Manufacturer and Exporter of Brass and Metal Products



Angle Series



Item	Weight/Dozen	Ms Weight/Dozen	Bolt Size Available	Plating Options	Finishing Option	Material Process
Angle NS40 M	350 Grams	200 Grams	1/4" of All Bolt	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle NS40 S	220 Grams	200 Grams	1/4" of All Bolt	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle NS40 L	400 Grams	220 Grams	1/4" of All Bolt	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle Type Casting	900 Grams	360 Grams	5/16" & 8MM Standard	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle Type Casting	850 Grams	360 Grams	5/16" & 8MM Standard	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle Type Forged	800 Grams	360 Grams	5/16" & 8MM Standard	Brass, TIN	Plain/Blasting	Forged
Angle Type Casting	800 Grams	360 Grams	5/16" & 8MM Standard	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle Type Casting	750 Grams	360 Grams	5/16" & 8MM Standard	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle Type Casting	700 Grams	360 Grams	5/16" & 8MM Standard	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle Type Casting	650 Grams	360 Grams	5/16" & 8MM Standard	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle Type Casting	600 Grams	350 Grams	5/16" & 8MM Standard	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle Type Forged	550 Grams	350 Grams	5/16" & 8MM Standard	Brass, TIN	Plain/Blasting	Forged
Angle Type Casting	500 Grams	330 Grams	5/16" of All Bolt	Brass, TIN, Nickle	Plain/Blasting	Casting
Angle Type Casting	400 Grams	310 Grams	5/16" of All Bolt	Brass, TIN, Nickle	Plain/Acid Wash	Casting
Angle Type Casting	300 Grams	310 Grams	5/16" of All Bolt	Brass, TIN, Nickle	Plain/Acid Wash	Casting
Angle Type Casting	280 Grams	210 Grams	(1/4"-Single)(5/16"Double)	Brass, TIN, Nickle	Plain/Acid Wash	Casting
Angle Type Casting	250 Grams	195 Grams	1/4" of All Bolt	Brass, TIN, Nickle	Plain/Acid Wash	Casting

Strip Series



Item	Brass Weight/Dozen	Ms Weight/Dozen	Bolt Size Available	Plating Options	Finishing Option	Material Process
STRIP CASTED	900 Grams	200 Grams	5/16" & 8mm Standard	Acid wash	Plain	Casted
STRIP CASTED	800 Grams	200 Grams	5/16" & 8mm Standard	Acid wash	Plain	Casted
STRIP CASTED	700 Grams	200 Grams	5/16" & 8mm Standard	Acid wash	Plain	Casted
STRIP CASTED	600 Grams	190 Grams	5/16" & 8mm Standard	Acid wash	Plain	Casted
STRIP CASTED	500 Grams	190 Grams	5/16"	Acid wash	Plain	Casted
STRIP CASTED	450 Grams	190 Grams	5/16"	Acid wash	Plain	Casted
STRIP BUTTERFLY NUT CASTED	840 Grams With Wing & Strud of Brass	190 Grams	8 mm Standard	Brass & Acid Wash	Plain/ Blasting	Casted
STRIP FORGED EXTRA HEAVY	960 Grams	375 Grams	8 mm Standard	Brass & Nickle	Plain / Blasting	Forged
STRIP FORGED EXTRA HEAVY	960 Grams	375 Grams	8 mm Standard	Brass & Nickle	Plain/ Blasting	Forged

ISO 9001-2015 CERTIFIED COMPANY

S.R.No. 53, Plot No. 5/B-1 & 5/B-2, Raj Rajeshwari Estate, Kansumra Main Road, Jamnagar - 361 006 Gujarat - India

☎ : +91 - 288 - 2567600 ✉ : info@paaniprecisions.com 🌐 : www.paaniprecisions.com / www.paniprecisionllp.com

GSTIN : 24AAWFP2356A1ZA ••••• IEC NO. AAWFP2356A